



REMOTE CONTROL OPERATED SLOPE MOWERS



RC ROBOTIC ALL-TERRAIN MOWERS

The ultimate in accessibility and safety when it comes to slope mowing. Engineered with the contractor in mind, the RC Mowers remote control tracked slope mower will allow you and your team to safely and efficiently mow the most aggressive slopes and difficult to access terrain.

RC Mowers manufacture premium Remote-Control Mowers. Offering the best in class slope climbing capabilities, reliable performance, safety, and convenience for all your slope mowing needs.

Our range of RC Mowers are the perfect solution to tackling all aggressive commercial embankments with tall grasses and challenging terrain safely. Maintaining premium sports turf or simply for caring for your lawn in comfort, Colbrook Industries is proud to offer a Remote-Control Mower solution for your specific application.

RC MOWERS manufacture the industry's most extensive line of Remote-Control Mowers, including commercial & residential grade models.

All their mowers are proudly built in the USA. Each mower is designed, built, and shipped from Suamico, WI. They pride themselves in using commonly used and widely available service items, enabling efficient local parts sourcing and serviceability.

APPLICATIONS

- Roadside vegetation management – able mow the tallest and thickest grass as well as brush and saplings up to 38mm in diameter.
- Turf Maintenance, Golf Courses, Athletics Fields etc.
- Land Clearing, Landscaping and Maintenance.
- Suitable for Contractors, Municipalities, Utility Authorities and Land Owners.

FEATURES

- Powered by the very reliable and powerful Kawasaki
- Hydrostatic Drivetrain
- Two speed operation
- Superior climbing capability
- Fully fabricated 7ga Steel Deck
- State of the art microprocessor-based Remote Control with 300 meter range and fall/drop detector to automatically shut mower off.
- Push bar, Chain Guard, Front and rear lights, ROPS, Transport Lock & Track Tension Gauge.
- 2.5 acre per hour average cut rate on difficult terrain.
- Low Ground Pressure, great solution to delicate or wet, swampy land.

BENEFITS

- Safely Mow and Maintain Aggressive Slopes, Embankments and difficult to access areas.
- Mowing in tight difficult locations, able to manoeuvre around and under trees and structures.
- Mow and Maintain Wet, Boggy Swampy Land.
- Maintaining large lawn or overgrown grassed areas with ease.



REMOTE FEATURES

- Inertia Safety Switch: Excessive tilt or dropped remote automatically shuts down mower
- Loss Signal Shut Down: Excessive distance or loss of signal automatically shuts down mower
- Activation: Must press enable button to activate mower drive and cut functions
- Safe Mode: After 10 seconds, enable times out and locks into "safe mode"
- Low Start Speed: Always starts in low speed mode upon enable, regardless of switch position
- PTO activation: PTO will not activate until enable mode is active. If PTO switch is on during enable, PTO won't turn on until PTO switch is cycled off and on again



50° SLOPE
COMPATIBILITY



SPECIFICATIONS

MODEL	TK-48P	TK-52XP	TK-60XP
Engine	Kawasaki FX691V	Kawasaki FX850	Kawasaki FX1000V
HP	22	27	35
Displacement	726cc	852cc	999cc
Drive System	HydroGear ZT-3400 Transaxle	HydroGear ZT-5400 Transaxles	HydroGear ZT-5400 Transaxles
Speed	6.3km/hr	8.5km/hr	8.5 km/hr
Slope Climb Ability	45 Degrees	50 Degrees	50 Degrees
Acres per Hour rate	1.7	2.2	2.5
Fuel Capacity	38 Litres	50 Litres	50 Litres
Deck Material	Fabricated 7ga steel with ¼" Spindle Reinforcements	Fabricated 7ga Steel with ¼" Spindle Reinforcements	Fabricated 7ga Steel with ¼" spindle Reinforcements
Number of Spindles	3	3	3
Cut Width	48" / 1220mm	52" / 1320mm	60" / 1525mm
Cut Height Range	63mm-165mm	63mm-165mm	63mm-165mm
Track Width	178mm	228.6mm	228.6mm
Overall Length	2184mm	2362mm	2362mm
Overall Width	1765mm	1981mm	2184mm
Overall Height	1231mm	1257mm	1257mm
Warranty	2 years/400 Hours	2 years/400 Hours	2 years/400 Hours

OPTIONS & ACCESSORIES



3500 LB WINCH

Allows the user to easily recover the machine if it is stuck or hung up on an obstacle. Kit includes installation instructions, wire harnesses, hitch pin and hardware.



SWINGING BREAK AWAY BRUSH BLADES

Designed to handle thick and heavy brush up to 1.5" (38mm). Blades have dual edge and can be flipped or changed individually. Kit includes (3) blade carriers, (9) blades and hardware and comes pre-assembled.




200 HOUR KITS

Each kit includes recommended parts for maintenance from purchase through 200 hours. Includes machine-specific oils, fluids, spark plugs and more.



FRONT JACK

The front jack accessory allows for easy access to the undercarriage for blade changes and maintenance.



FIRE EXTINGUISHER

Extinguisher mounts directly to the machine for enhanced safety. Kit includes mounting bracket and extinguisher with quick release pull tab.



75-77 Westgate Drive,
Altona North, VIC 3025
P (03) 8369 6610
E info@colbrookindustries.com.au
colbrookindustries.com.au